



LOW CANOPY FRAMING PLAN
SCALE = 1/8"=1'-0"

ROOF FRAMING PLAN
SCALE = 1/8"=1'-0"

- NOTES:**
- U/S DECK ELEVATION 116'-5" TYP. AT PERIMETER
 - ROOF DECK TO BE 1 1/2" x 22 GA. STEEL ROOF DECK
 - MAX. 3-SPAN CONTINUOUS
 - U/S ROOF DECK ELEVATION VARIES REFER TO SECTION THUS ON PLAN [X] OR [Y]
 - 1/0 STRUCTURAL STEEL ELEVATION 116'-1" UNLESS NOTED THUS ON PLAN [Z] OR [AA]
 - REFER TO MECH. FOR EXACT SIZE, WEIGHT & LOCATION OF ALL ROOF UNITS & OPENINGS. REFER TO DWG. S3.1 FOR FRAMING REQUIREMENTS NOT SHOWN ON PLAN.
 - SAG RODS TO BE LOCATED AT 1/3 SPAN OF GIRT
- ROOF DESIGN LOADS:**
- LIVE LOAD = 30 Psf + SNOW DRIFT OR PONDING (WHICHEVER PRODUCES THE WORST EFFECT)
 - DEAD LOAD = 28 Psf + MECHANICAL + PAVERS
- STEEL DECK WELDING REQUIREMENTS:**
- = RIBBLE WELD @ 12" O.C. U.N.O.
 - = BUTT JUNCTION @ 18" O.C.
 - = LONG WELDS @ 4'-0" O.C. MAX.

SEAL

CONSULTANT

TRL & associates
tomecek roney little & associates ltd.
consulting structural engineers
100 - 1615 10th Avenue S.W. - Calgary - Alberta - T2C 0J7
Phone: (403)244-4944 - Fax: (403)229-2110

SEAL

CONSULTANT

SEAL

NOTES

2	11-07-15	TENDER	JS	BR
1	11-07-12	BUILDING PERMIT	JS	BR
NO.	1744MADD	REVISION / DRAWING ISSUE	DRAWN	REVIEW

CONSTRUCTION MANAGER

Visions ELECTRONICS

PROJECT

2085 SOUTH EDMONTON ADDITION
10133 - 34th AVENUE NW
EDMONTON, AB

DRAWING TITLE

PARTIAL ROOF FRAMING PLAN

DRAWING ISSUED

TENDER

PROJECT NO. 2011-126

PLLOT DATE

SCALE AS NOTED

DRAWING NO. S3.1

REVISION